

Pool Test Log Sheet - Accutabs

| <u>Date</u> | <u>Time</u> | Total Chlorine 1.0 - 3.0 ppm | Free Chlorine 1.0 - 3.0 ppm | Combined Chlorine < 0.5 ppm | Cyanuric Acid 60 - 120 ppm | pH 7.2 -7.4 | Total Alkalinity 80 - 120 ppm | Calcium Hardness 200-400 ppm | Notes/Comments/Chemicals to Order |
|-------------|-------------|---------------------------------|--------------------------------|--------------------------------|-------------------------------|----------------|----------------------------------|---------------------------------|-----------------------------------|
| Mon. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Tues. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Wed. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Thurs. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Fri. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Sat. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Sun. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Anders Pool Company offers free delivery on any order over \$100.00



anders
 POOL COMPANY
 256-837-1526
 anderspool.com